

Appendix 2 – BftB species recovery scores

1.1 This table provides the species recovery score for each species at the end of the project the target scores, the 5-year forecast score, the achievement (i.e. sum of interim scores for the degree of completion of each species recovery stage), and progress (measured in terms of species recovery steps made) as reported by the individual projects. It also includes the scores as reviewed by Footprint Ecology, changes advised by the Natural England specialists, and the final score as reported by the BftB Project Manager.

| Common Name | Scientific Name | BftB Baseline score | | | | | Footprint reviewed final score | | | | | NE Specialists revised final score (changes) | | | | | PM final reported score | | | | | Forecast post-BftB score | | | | | Footprint revised Forecast | | | | | NE Specialists revised forecast (changes) | | | | | PM final Forecast score | | | | | Achievement scores | | | | | Footprint reviewed achievement scores | | | | | Progress (no. of steps) | | | | | Footprint reviewed progress | | | | | PM final progress | | | | |
|---------------------------------|--|---------------------|-----------------------------|-------------------|-------------------|-------------------------------|--------------------------------|--|-------------------------|--------------------------|----------------------------|--|-------------------------|--------------------|---------------------------------------|-------------------------|-----------------------------|-------------------|--|--|--|--------------------------|--|--|--|--|----------------------------|--|--|--|--|---|--|--|--|--|-------------------------|--|--|--|--|--------------------|--|--|--|--|---------------------------------------|--|--|--|--|-------------------------|--|--|--|--|-----------------------------|--|--|--|--|-------------------|--|--|--|--|
| | | BftB Baseline score | Footprint reviewed baseline | PM baseline score | BftB Target score | Final BftB score ('best fit') | Footprint reviewed final score | NE Specialists revised final score (changes) | PM final reported score | Forecast post-BftB score | Footprint revised Forecast | NE Specialists revised forecast (changes) | PM final Forecast score | Achievement scores | Footprint reviewed achievement scores | Progress (no. of steps) | Footprint reviewed progress | PM final progress | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Barberry Carpet | <i>Pareulype berberata</i> | 6 | 6 | 6 | 8 | 7 | 7 | | 7 | 7 | 7 | | 7 | 27 | 26 | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Black-tailed Godwit | <i>Limosa limosa (subspecies limosa)</i> | 6 | 5 | 5 | 8 | 7 | 7 | | 7 | 7 | 7 | | 7 | 28 | 26 | 1 | 2 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Grey Long-eared Bat | <i>Plecotus austriacus</i> | 2 | 4 | 4 | 6 | 6 | 6 | | 6 | 7 | 5 | | 7 | 22 | 21 | 4 | 2 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lesser Butterfly Orchid | <i>Platanthera bifolia</i> | 1 | 4 | 4 | 7 | 6 | 6 | 4 | 6 | 8 | 7 | | 7 | 15 | 17 | 5 | 2 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cornish Path Moss | <i>Ditrichum cornubicum</i> | 1 | 5 | 5 | 6 | 6 | 6 | | 6 | 6 | 6 | | 6 | 22 | 21 | 5 | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Field Cricket | <i>Gryllus campestris</i> | 8 | 8 | 8 | 8 | 8 | 8 | | 8 | 8 | 8 | | 8 | 32 | 30 | 0 | 0 | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ladybird Spider | <i>Eresus sandaliatus</i> | 1 | 6 | 6 | 8 | 6 | 6 | | 6 | 6 | 6 | | 6 | 19 | 18 | 5 | 0 | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Little Whirlpool Ramshorn Snail | <i>Anisus vorticulus</i> | 1 | 5 | 5 | 6 | 6 | 6 | | 6 | 7 | 7 | | 7 | 20 | 19 | 5 | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Narrow-headed Ant | <i>Formica exsecta</i> | 1 | 4 | 4 | 6 | 6 | 6 | | 6 | 7 | 6 | | 6 | 29 | 23 | 5 | 2 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pine marten | <i>Martes martes</i> | 1 | 4 | 2 | 4 | 8 | 8 | | 8 | 8 | 8 | | 8 | 30 | 27 | 7 | 4 | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Common Name | Scientific Name | BftB Baseline score | Footprint reviewed baseline | PM baseline score | BftB Target score | Final BftB score ('best fit') | Footprint reviewed final score | NE Specialists revised final score (changes) | PM final reported score | Forecast post-BftB score | Footprint revised Forecast | NE Specialists revised forecast (changes) | PM final Forecast score | Achievement scores | Footprint reviewed achievement scores | Progress (no. of steps) | Footprint reviewed progress | PM final progress |
|------------------------|----------------------------------|---------------------|-----------------------------|-------------------|-------------------|-------------------------------|--------------------------------|--|-------------------------|--------------------------|----------------------------|---|-------------------------|--------------------|---------------------------------------|-------------------------|-----------------------------|-------------------|
| Shrill Carder Bee | <i>Bombus sylvarum</i> | 1 | 4 | 2 | 8 | 5 | 5 | | 5 | 7 | 7 | | 7 | 16 | 16 | 4 | 1 | 3 |
| Willow Tit | <i>Poecile montanus</i> | 4 | 5 | 4 | 6 | 7 | 7 | | 7 | 7 | 7 | | 7 | 22 | 19 | 3 | 2 | 3 |
| Purple Milk-vetch | <i>Astragalus danicus</i> | 1 | 4 | 4 | 4 | 6 | 6 | 7 | 6 | 7 | 7 | 8 | 8 | 22 | 22 | 5 | 2 | 2 |
| Large Garden Bumblebee | <i>Bombus ruderatus</i> | 1 | 4 | 4 | 6 | 5 | 5 | | 5 | 6 | 5 | | 5 | 14 | 15 | 4 | 1 | 1 |
| Red-shanked Carder Bee | <i>Bombus ruderarius</i> | 1 | 4 | 4 | 6 | 5 | 5 | | 5 | 6 | 6 | | 6 | 14 | 15 | 4 | 1 | 1 |
| Basil Thyme | <i>Clinopodium acinos</i> | 1 | 4 | 4 | 5 | 6 | 6 | | 6 | 7 | 6 | | 6 | 17 | 19 | 5 | 2 | 2 |
| Rock-rose Pot Beetle | <i>Cryptocephalus primarius</i> | 2 | 2 | 2 | 6 | 6 | 6 | | 6 | 7 | 6 | | 6 | 19 | 19 | 4 | 4 | 4 |
| Marsh Fritillary | <i>Euphydryas aurinia</i> | 8 | 5 | 5 | 8 | 7 | 7 | | 7 | 8 | 8 | | 8 | 26 | 26 | -1 | 2 | 2 |
| Duke of Burgundy | <i>Hamearis lucina</i> | 6 | 6 | 6 | 8 | 7 | 7 | | 7 | 8 | 8 | | 8 | 28 | 28 | 1 | 1 | 1 |
| Juniper | <i>Juniperus communis</i> | 3 | 3 | 3 | 4 | 7 | 7 | | 7 | 8 | 7 | | 7 | 23 | 24 | 4 | 4 | 4 |
| Large Blue | <i>Maculinea arion</i> | 6 | 6 | 6 | 8 | 8 | 8 | | 8 | 8 | 8 | | 8 | 31 | 31 | 2 | 2 | 2 |
| Rugged Oil Beetle | <i>Meloe rugosus</i> | 2 | 2 | 4 | 6 | 6 | 6 | | 6 | 7 | 6 | | 6 | 14 | 14 | 4 | 4 | 2 |
| Cotswold Pennycress | <i>Microthlaspi perfoliatum</i> | 2 | 4 | 4 | 4 | 8 | 8 | 6 | 8 | 8 | 8 | | 8 | 22 | 24 | 6 | 4 | 4 |
| Fly Orchid | <i>Ophrys insectifera</i> | 1 | 4 | 4 | 5 | 5 | 5 | | 5 | 6 | 5 | | 5 | 20 | 18 | 4 | 1 | 1 |
| Pasqueflower | <i>Pulsatilla vulgaris</i> | 1 | 4 | 4 | 4 | 7 | 6 | | 6 | 8 | 7 | | 7 | 23 | 20 | 6 | 2 | 2 |
| Greater Horseshoe Bat | <i>Rhinolophus ferrumequinum</i> | 7 | 6 | 6 | 8 | 6 | 6 | | 6 | 7 | 7 | | 7 | 24 | 23 | -1 | 0 | 0 |
| Chamomile | <i>Chamaemelum nobile</i> | 1 | 5 | 5 | 7 | 8 | 8 | 6 | 7 | 8 | 8 | | 8 | 19 | 19 | 7 | 3 | 2 |
| Yellow Centaury | <i>Cicendia filiformis</i> | 1 | 5 | 5 | 7 | 8 | 8 | 7 | 8 | 8 | 8 | | 8 | 27 | 24 | 7 | 3 | 3 |
| Marsh Clubmoss | <i>Lycopodiella inundata</i> | 1 | 5 | 5 | 7 | 8 | 8 | 7 | 8 | 8 | 8 | | 8 | 23 | 23 | 7 | 3 | 3 |
| Coral Necklace | <i>Illecebrum verticillatum</i> | 1 | 4 | 4 | 7 | 5 | 5 | 2 | 5 | 8 | 8 | | 8 | 15 | 17 | 4 | 1 | 1 |
| Pennyroyal | <i>Mentha pulegium</i> | 1 | 5 | 1 | 7 | 8 | 8 | 6 | 6 | 8 | 8 | | 8 | 20 | 21 | 7 | 3 | 5 |

| Common Name | Scientific Name | BftB Baseline score | Footprint reviewed baseline | PM baseline score | BftB Target score | Final BftB score ('best fit') | Footprint reviewed final score | NE Specialists revised final score (changes) | PM final reported score | Forecast post-BftB score | Footprint revised Forecast | NE Specialists revised forecast (changes) | PM final Forecast score | Achievement scores | Footprint reviewed achievement scores | Progress (no. of steps) | Footprint reviewed progress | PM final progress |
|--------------------------------|---------------------------------|---------------------|-----------------------------|-------------------|-------------------|-------------------------------|--------------------------------|--|-------------------------|--------------------------|----------------------------|---|-------------------------|--------------------|---------------------------------------|-------------------------|-----------------------------|-------------------|
| Pillwort | <i>Pilularia globulifera</i> | 1 | 6 | 6 | 7 | 7 | 7 | | 7 | 8 | 8 | | 8 | 23 | 22 | 6 | 1 | 1 |
| Lesser Butterfly Orchid | <i>Platanthera bifolia</i> | 1 | 4 | 4 | 7 | 8 | 8 | 4 | 7 | 8 | 8 | | 8 | 26 | 25 | 7 | 4 | 3 |
| Annual Knawel | <i>Scleranthus annuus</i> | 1 | 4 | 4 | 7 | 6 | 6 | | 6 | 6 | 6 | | 6 | 17 | 17 | 5 | 2 | 2 |
| Pale Dog-violet | <i>Viola lactea</i> | 1 | 4 | 4 | 7 | 8 | 8 | 4 | 8 | 8 | 8 | | 8 | 23 | 25 | 7 | 4 | 4 |
| Large-celled Flapwort | <i>Lophozia capitata</i> | 1 | 3 | 3 | 7 | 6 | 6 | | 6 | 6 | 6 | | 6 | 17 | 16 | 5 | 3 | 3 |
| Bechstein's Bat | <i>Myotis bechsteinii</i> | 4 | 4 | 4 | 6 | 5 | 5 | | 5 | 7 | 7 | | 7 | 16 | 17 | 1 | 1 | 1 |
| Woodlark | <i>Lullula arborea</i> | 6 | 6 | 6 | 7 | 7 | 7 | | 7 | 7 | 8 | | 8 | 23 | 23 | 1 | 1 | 1 |
| Purbeck Mason Wasp | <i>Pseudepipona herachii</i> | 1 | 3 | 3 | 7 | 7 | 7 | | 7 | 7 | 8 | | 8 | 23 | 26 | 6 | 4 | 4 |
| Tormentil Mining Bee | <i>Andrena tarsata</i> | 1 | 2 | 2 | 7 | 6 | 6 | | 6 | 6 | 6 | | 6 | 16 | 16 | 5 | 4 | 4 |
| Heath Beefly | <i>Bombylius minor</i> | 2 | 2 | 2 | 7 | 7 | 7 | | 7 | 7 | 7 | | 7 | 18 | 20 | 5 | 5 | 5 |
| Sand Lizard | <i>Lacerta agilis</i> | 6 | 6 | 6 | 7 | 7 | 7 | | 7 | 7 | 7 | | 7 | 23 | 24 | 1 | 1 | 1 |
| Heath Tiger Beetle | <i>Cicindella sylvatica</i> | 2 | 3 | 3 | 7 | 7 | 7 | | 7 | 7 | 7 | | 7 | 20 | 20 | 5 | 4 | 4 |
| Southern Damselfly | <i>Coenagrion mercuriale</i> | 1 | 4 | 4 | 7 | 8 | 8 | | 8 | 8 | 8 | | 8 | 24 | 25 | 7 | 4 | 4 |
| Silver-studded Blue | <i>Plebejus argus</i> | 6 | 6 | 6 | 7 | 7 | 7 | | 7 | 8 | 8 | | 8 | 25 | 24 | 1 | 1 | 1 |
| Forester | <i>Adscita statices</i> | 4 | 5 | 5 | 5 | 6 | 6 | | 6 | 8 | 8 | | 8 | 17 | 15 | 2 | 1 | 1 |
| Wormwood Moonshiner | <i>Amara fusca</i> | 4 | 4 | 4 | 6 | 5 | 5 | | 5 | 6 | 6 | | 6 | 23 | 22 | 1 | 1 | 1 |
| Tower Mustard | <i>Arabis glabra</i> | 2 | 4 | 4 | 6 | 6 | 5 | | 5 | 6 | 6 | | 6 | 12 | 16 | 4 | 1 | 1 |
| Field Wormwood | <i>Artemisia campestris</i> | 2 | 6 | 6 | 6 | 6 | 6 | | 6 | 6 | 6 | | 6 | 16 | 18 | 4 | 0 | 0 |
| Stone Curlew | <i>Burhinus oedicnemus</i> | 7 | 8 | 8 | 8 | 8 | 8 | | 8 | 8 | 8 | | 8 | 27 | 29 | 1 | 0 | 0 |
| Rare Spring Sedge | <i>Carex ericetorum</i> | 1 | 4 | 4 | 2 | 6 | 5 | | 5 | 6 | 6 | | 6 | 10 | 14 | 5 | 1 | 1 |
| Five-Banded Tailed Digger Wasp | <i>Cerceris quinquefasciata</i> | 1 | 2 | 2 | 5 | 6 | 6 | | 6 | 6 | 6 | | 6 | 15 | 13 | 5 | 4 | 4 |

| Common Name | Scientific Name | BftB Baseline score | Footprint reviewed baseline | PM baseline score | BftB Target score | Final BftB score ('best fit') | Footprint reviewed final score | NE Specialists revised final score (changes) | PM final reported score | Forecast post-BftB score | Footprint revised Forecast | NE Specialists revised forecast (changes) | PM final Forecast score | Achievement scores | Footprint reviewed achievement scores | Progress (no. of steps) | Footprint reviewed progress | PM final progress |
|----------------------------|--|---------------------|-----------------------------|-------------------|-------------------|-------------------------------|--------------------------------|--|-------------------------|--------------------------|----------------------------|---|-------------------------|--------------------|---------------------------------------|-------------------------|-----------------------------|-------------------|
| Basil-thyme Case-bearer | <i>Coleophora tricolor</i> | 6 | 4 | 4 | 7 | 6 | 6 | | 6 | 8 | 6 | | 6 | 23 | 16 | 0 | 2 | 2 |
| Grey Carpet | <i>Lithostege griseata</i> | 6 | 5 | 5 | 8 | 5 | 5 | | 5 | 7 | 5 | | 5 | 23 | 18 | -1 | 0 | 0 |
| Woodlark | <i>Lullula arborea</i> | 6 | 6 | 6 | 7 | 6 | 6 | | 6 | 6 | 6 | | 6 | 12 | 17 | 0 | 0 | 0 |
| Lunar Yellow Underwing | <i>Noctua orbona</i> | 6 | 6 | 6 | 7 | 6 | 6 | | 6 | 8 | 6 | | 6 | 25 | 20 | 0 | 0 | 0 |
| Prostrate Perennial Knawel | <i>Scleranthus perennis ssp prostratus</i> | 1 | 6 | 6 | 6 | 6 | 6 | | 6 | 6 | 6 | | 6 | 15 | 17 | 5 | 0 | 0 |
| Spanish Catchfly | <i>Silene otites</i> | 2 | 6 | 6 | 3 | 6 | 6 | | 6 | 6 | 6 | | 6 | 17 | 17 | 4 | 0 | 0 |
| Spring Speedwell | <i>Veronica verna</i> | 2 | 3 | 3 | 5 | 6 | 6 | 4 | 6 | 6 | 6 | | 6 | 17 | 19 | 4 | 3 | 3 |
| Natterjack toad | <i>Epidalea calamita</i> | 6 | 6 | 6 | 7 | 7 | 6 | | 6 | 7 | 7 | | 7 | 25 | 22 | 1 | 0 | 0 |
| Sand lizard | <i>Lacerta agilis</i> | 6 | 6 | 6 | 7 | 7 | 7 | | 7 | 7 | 5 | | 7 | 23 | 23 | 1 | 1 | 1 |
| Northerndune tiger beetle | <i>Cicindela hybrida</i> | 2 | 2 | 2 | 7 | 7 | 6 | | 6 | 7 | 6 | | 6 | 19 | 20 | 5 | 4 | 4 |
| Petalwort | <i>Petalophyllum ralfsii</i> | 5 | 5 | 5 | 6 | 6 | 6 | | 6 | 6 | 6 | | 6 | 4 | 15 | 1 | 1 | 1 |
| Sea bryum | <i>Bryum warneum</i> | 2 | 2 | 2 | 6 | 5 | 5 | | 5 | 5 | 6 | | 6 | 7 | 13 | 3 | 3 | 3 |
| Matted bryum | <i>Bryum calophyllum</i> | 2 | 2 | 2 | 6 | 2 | 2 | | 2 | 2 | 8 | | 8 | 3 | 9 | 0 | 0 | 0 |
| Lesser spotted Woodpecker | <i>Dendrocopus minor</i> | 4 | 4 | 4 | 6 | 4 | 4 | | 4 | 4 | 4 | | 4 | 14 | 10 | 0 | 0 | 0 |
| Lesser Redpoll | <i>Carduelis cabaret</i> | 3 | 3 | 3 | 6 | 4 | 3 | | 3 | 4 | 3 | | 3 | 13 | 11 | 1 | 0 | 0 |
| Marsh Tit | <i>Poecile palustris</i> | 4 | 4 | 4 | 6 | 5 | 4 | | 4 | 5 | 4 | | 4 | 22 | 12 | 1 | 0 | 0 |
| Spotted Flycatcher | <i>Muscicapa striata</i> | 5 | 5 | 5 | 7 | 6 | 5 | ? | 5 | 7 | 5 | | 5 | 18 | 14 | 1 | 0 | 0 |
| Willow Tit | <i>Poecile montanus</i> | 4 | 4 | 4 | 6 | 5 | 5 | | 5 | 6 | 6 | | 6 | 24 | 17 | 1 | 1 | 1 |
| Basil Thyme | <i>Clinopodium acinos</i> | 1 | 2 | 2 | 5 | 6 | 6 | | 6 | 6 | 6 | | 6 | 12 | 15 | 5 | 4 | 4 |
| Fly Orchid | <i>Ophrys insectifera</i> | 1 | 2 | 2 | 5 | 6 | 6 | | 6 | 6 | 6 | | 6 | 11 | 12 | 5 | 4 | 4 |
| Barbastelle | <i>Barbastella barbastellus</i> | 4 | 4 | 4 | 6 | 6 | 6 | | 6 | 6 | 6 | | 6 | 17 | 17 | 2 | 2 | 2 |

| Common Name | Scientific Name | BftB Baseline score | Footprint reviewed baseline | PM baseline score | BftB Target score | Final BftB score ('best fit') | Footprint reviewed final score | NE Specialists revised final score (changes) | PM final reported score | Forecast post-BftB score | Footprint revised Forecast | NE Specialists revised forecast (changes) | PM final Forecast score | Achievement scores | Footprint reviewed achievement scores | Progress (no. of steps) | Footprint reviewed progress | PM final progress |
|--------------------------|---------------------------------|---------------------|-----------------------------|-------------------|-------------------|-------------------------------|--------------------------------|--|-------------------------|--------------------------|----------------------------|---|-------------------------|--------------------|---------------------------------------|-------------------------|-----------------------------|-------------------|
| Brown Long-eared Adder | <i>Plecotus auritus</i> | 7 | 4 | 4 | 7 | 6 | 6 | | 6 | 6 | 6 | | 6 | 17 | 17 | -1 | 2 | 2 |
| Dingy Skipper | <i>Erynnis tages</i> | 6 | 5 | 5 | 6 | 7 | 7 | | 7 | 7 | 7 | | 7 | 26 | 26 | 1 | 2 | 2 |
| Grizzled Skipper | <i>Pyrgus malvae</i> | 6 | 3 | 6 | 6 | 7 | 7 | | 7 | 7 | 7 | | 7 | 26 | 26 | 1 | 4 | 1 |
| Chequered Skipper | <i>Carterocephalus palaemon</i> | 4 | 4 | 4 | 6 | 7 | 7 | 8? | 7 | 8 | 8 | | 8 | 25 | 25 | 3 | 3 | 3 |
| Wood White | <i>Leptidea sinapis</i> | 6 | 6 | 6 | 7 | 7 | 7 | | 7 | 8 | 8 | | 8 | 27 | 26 | 1 | 1 | 1 |
| Concolorous | <i>Chortedes extrema</i> | 3 | 3 | 3 | 5 | 6 | 6 | | 6 | 7 | 6 | | 6 | 22 | 19 | 3 | 3 | 3 |
| Pheasants-eye | <i>Adonis annua</i> | 2 | 4 | 4 | 6 | 6 | 6 | | 6 | 6 | 6 | | 6 | 21 | 20 | 4 | 2 | 2 |
| Interrupted Brome | <i>Bromus interruptus</i> | 1 | 4 | 4 | 6 | 6 | 6 | | 6 | 6 | 6 | | 6 | 24 | 25 | 5 | 2 | 2 |
| Broad-leaved Cudweed | <i>Filago pyramidata</i> | 1 | 4 | 4 | 5 | 6 | 6 | | 6 | 6 | 6 | | 6 | 21 | 21 | 5 | 2 | 2 |
| Red Hemp-nettle | <i>Galeopsis angustifolia</i> | 1 | 4 | 4 | 6 | 6 | 6 | | 6 | 6 | 6 | | 6 | 21 | 20 | 5 | 2 | 2 |
| Corn Buttercup | <i>Ranunculus arvensis</i> | 1 | 4 | 4 | 5 | 6 | 6 | | 6 | 6 | 6 | | 6 | 21 | 20 | 5 | 2 | 2 |
| Small-flowered Catchfly | <i>Silene gallica</i> | 2 | 4 | 4 | 5 | 6 | 6 | | 6 | 6 | 6 | | 6 | 23 | 23 | 4 | 2 | 2 |
| Spreading Hedge Parsley | <i>Torilis arvensis</i> | 1 | 4 | 4 | 5 | 6 | 6 | | 6 | 6 | 6 | | 6 | 22 | 22 | 5 | 2 | 2 |
| Broad-Fruited Corn Salad | <i>Valerianella rimosa</i> | 1 | 4 | 4 | 5 | 6 | 6 | | 6 | 6 | 6 | | 6 | 19 | 20 | 5 | 2 | 2 |
| Fingered Speedwell | <i>Veronica triphyllos</i> | 2 | 4 | 4 | 5 | 5 | 5 | 4 | 5 | 5 | 6 | | 6 | 16 | 17 | 3 | 1 | 1 |
| Spring Speedwell | <i>Veronica verna</i> | 2 | 4 | 4 | 5 | 5 | 6 | 4 | 6 | 5 | 6 | | 6 | 18 | 19 | 3 | 2 | 2 |
| Necklace ground beetle | <i>Carabus monilis</i> | 2 | 4 | 4 | 6 | 5 | 5 | | 5 | 5 | 5 | | 5 | 12 | 12 | 3 | 1 | 1 |
| Brush-thighed Seed-eater | <i>Harpalus froelichii</i> | 5 | 5 | 5 | 6 | 5 | 5 | | 5 | 8 | 8 | <8 | 8 | 14 | 13 | 0 | 0 | 0 |
| Set-aside Downy-back | <i>Ophonus laticollis</i> | 2 | 4 | 4 | 6 | 5 | 5 | | 5 | 5 | 5 | | 5 | 12 | 12 | 3 | 1 | 1 |
| Black Click beetle | <i>Ampedus nigerrimus</i> | 2 | 4 | 4 | 6 | 2 | 5 | | 5 | 2 | 5 | | 5 | 14 | 15 | 0 | 1 | 1 |

| Common Name | Scientific Name | BftB Baseline score | Footprint reviewed baseline | PM baseline score | BftB Target score | Final BftB score ('best fit') | Footprint reviewed final score | NE Specialists revised final score (changes) | PM final reported score | Forecast post-BftB score | Footprint revised Forecast | NE Specialists revised forecast (changes) | PM final Forecast score | Achievement scores | Footprint reviewed achievement scores | Progress (no. of steps) | Footprint reviewed progress | PM final progress |
|----------------------------------|---|---------------------|-----------------------------|-------------------|-------------------|-------------------------------|--------------------------------|--|-------------------------|--------------------------|----------------------------|---|-------------------------|--------------------|---------------------------------------|-------------------------|-----------------------------|-------------------|
| Red-horned cardinal click beetle | <i>Ampedus rufipennis</i> | 2 | 4 | 4 | 6 | 2 | 5 | | 5 | 2 | 5 | | 5 | 14 | 14 | 0 | 1 | 1 |
| Golden hair click beetle | <i>Brachygonus ruficeps</i> | 2 | 4 | 4 | 6 | 2 | 5 | | 5 | 2 | 5 | | 5 | 14 | 13 | 0 | 1 | 1 |
| Oak click beetle | <i>Lacon querceus</i> | 2 | 4 | 4 | 6 | 2 | 5 | | 5 | 2 | 5 | | 5 | 14 | 14 | 0 | 1 | 1 |
| Royal Splinter Cranefly | <i>Gnophomyia elsneri</i> | 1 | 1 | 2 | 6 | 2 | 5 | | 5 | 2 | 5 | | 5 | 14 | 14 | 1 | 4 | 3 |
| Violet click beetle | <i>Limoniscus violaceus</i> | 2 | 2 | 2 | 6 | 2 | 5 | | 5 | 2 | 5 | | 5 | 14 | 15 | 0 | 3 | 3 |
| Variable chafer | <i>Gnorimus variabilis</i> | 2 | 2 | 2 | 6 | 2 | 5 | | 5 | 2 | 5 | | 5 | 14 | 12 | 0 | 3 | 3 |
| Moccas beetle | <i>Hypebaeus flavipes</i> | 2 | 2 | 2 | 6 | 2 | 5 | | 5 | 2 | 5 | | 5 | 14 | 15 | 0 | 3 | 3 |
| Queens executioner | <i>Megapenthes lugens</i> | 2 | 2 | 2 | 6 | 2 | 5 | | 5 | 2 | 5 | | 5 | 14 | 12 | 0 | 3 | 3 |
| Bearded false darkling beetle | <i>Melandrya barbata</i> | 2 | 2 | 2 | 6 | 2 | 2 | | 2 | 2 | 2 | | 2 | 14 | 9 | 0 | 0 | 0 |
| Western wood-vase hoverfly | <i>Myolepta potens</i> | 1 | 2 | 4 | 6 | 2 | 2 | ? | 2 | 2 | 2 | ? | 2 | 14 | 12 | 1 | 0 | -2 |
| Cosnards net-winged beetle | <i>Erotides cosnardi</i> | 2 | 2 | 2 | 6 | 2 | 5 | | 5 | 2 | 5 | | 5 | 14 | 14 | 0 | 3 | 3 |
| Barbastelle | <i>Barbastella barbastellus</i> | 4 | 4 | 4 | 6 | 5 | 5 | | 5 | 5 | 5 | | 5 | 18 | 0 | 1 | 1 | 1 |
| Bechstein's Bat | <i>Myotis bechsteinii</i> | 4 | 4 | 4 | 6 | 4 | 4 | | 4 | 4 | 4 | | 4 | 14 | 16 | 0 | 0 | 0 |
| Noctule | <i>Nyctalus noctula</i> | 4 | 4 | 4 | 7 | 5 | 4 | | 4 | 5 | 4 | | 4 | 17 | 17 | 1 | 0 | 0 |
| Bearded tooth | <i>Hericium erinaceus</i> | 2 | 5 | 5 | 4 | 2 | 5 | 6 | 6 | 2 | 5 | 6+ | 6 | 12 | 13 | 0 | 0 | 1 |
| Coral tooth | <i>Hericium coralloides</i> | 2 | 5 | 5 | 4 | 2 | 6 | | 6 | 3 | 6 | | 6 | 11 | 13 | 0 | 1 | 1 |
| Oak polypore | <i>Piptoporus quercinus</i> | 2 | 4 | 4 | 4 | 2 | 4 | 5 | 5 | 3 | 4 | | 5 | 12 | 12 | 0 | 0 | 1 |
| | <i>Anaptychia ciliaris subsp ciliaris</i> | 2 | 2 | 2 | 6 | 2 | 5 | | 5 | 2 | 5 | | 5 | 12 | 14 | 0 | 3 | 3 |
| | <i>Bacidia incompta</i> | 5 | 5 | 5 | 6 | 6 | 6 | | 6 | 6 | 6 | | 6 | 15 | 16 | 1 | 1 | 1 |
| | <i>Calicium adpersum</i> | 1 | 1 | 1 | 3 | 2 | 2 | | 2 | 2 | 2 | | 2 | 8 | 8 | 1 | 1 | 1 |
| | <i>Caloplaca coralliza</i> | 1 | 1 | 1 | 3 | 3 | 3 | | 3 | 3 | 3 | | 3 | 12 | 13 | 2 | 2 | 2 |

| Common Name | Scientific Name | Achievement of each step was scored as follows: | | | | | | | | | | | | | | | | | |
|---------------|--------------------------------|---|-----------------------------|-------------------|-------------------|-------------------------------|--------------------------------|--|-------------------------|--------------------------|----------------------------|---|-------------------------|--------------------|---------------------------------------|-------------------------|-----------------------------|-------------------|--|
| | | BftB Baseline score | Footprint reviewed baseline | PM baseline score | BftB Target score | Final BftB score ('best fit') | Footprint reviewed final score | NE Specialists revised final score (changes) | PM final reported score | Forecast post-BftB score | Footprint revised Forecast | NE Specialists revised forecast (changes) | PM final Forecast score | Achievement scores | Footprint reviewed achievement scores | Progress (no. of steps) | Footprint reviewed progress | PM final progress | |
| | <i>Chaenotheca gracilentia</i> | 1 | 1 | 1 | 3 | 2 | 3 | | 3 | 2 | 3 | | 3 | 8 | 13 | 1 | 2 | 2 | |
| | <i>Collema fragrans</i> | 4 | 4 | 4 | 6 | 6 | 6 | | 6 | 6 | 6 | | 6 | 14 | 16 | 2 | 2 | 2 | |
| | <i>Lecanora quercicola</i> | 1 | 1 | 1 | 6 | 6 | 6 | 5 | 5 | 6 | 6 | | 6 | 13 | 16 | 5 | 5 | 4 | |
| | <i>Lecanora sublivescens</i> | 1 | 1 | 1 | 6 | 6 | 6 | 5 | 5 | 6 | 6 | | 6 | 13 | 16 | 5 | 5 | 4 | |
| | <i>Physcia tribacioides</i> | 5 | 1 | 1 | 6 | 4 | 4 | | 4 | 4 | 4 | | 4 | 10 | 11 | -1 | 3 | 3 | |
| | <i>Caloplaca herbidella</i> | 5 | | 5 | 6 | 6 | 6 | | 6 | 6 | 6 | | 6 | 14 | 14 | 1 | 1 | 1 | |
| | <i>Gyalecta ulmi</i> | 1 | | 1 | 5 | 6 | 6 | | 6 | 6 | 6 | | 6 | 13 | 14 | 5 | 5 | 5 | |
| | <i>Pyrenula nitida</i> | 1 | | 1 | 3 | 6 | 6 | | 6 | 6 | 6 | | 6 | 14 | 15 | 5 | 5 | 5 | |
| Knothole Moss | <i>Zygodon forsteri</i> | 2 | 2 | 2 | 6 | 4 | 4 | | 4 | 6 | 4 | | 4 | 20 | 20 | 2 | 2 | 2 | |

Achievement of each step was scored as follows:

- 1- Limited – some progress but limited to, for example, one or very few sites, or insufficient evidence available (e.g. anecdotal information only).
- 2- Partial – some achievement but limited in scope, or achieved outside of project area and thought to be probably transferable (e.g. den boxes trialled for Pine Marten outside of project area but not within it).
- 3- Mostly – significant achievement but some areas still outstanding e.g. remedial actions identified for most but not all pressures.
- 4- Fully – full achievement e.g., full understanding of distribution, abundance and trend, or monitoring in place across all sites/subsites (or a designed sample).